UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/567,578	02/08/2006	Takuya Chiba	282343US6PCT	2524
22850 7590 11/17/2008 OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			EXAMINER	
			VILLECCO, JOHN M	
ALEAANDRIA, VA 22514			ART UNIT	PAPER NUMBER
		2622		
			NOTIFICATION DATE	DELIVERY MODE
			11/17/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

	Application No.	Applicant(s)			
	10/567,578	CHIBA ET AL.			
Office Action Summary	Examiner	Art Unit			
	JOHN M. VILLECCO	2622			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w. - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>08 Fe</u> This action is FINAL . 2b)⊠ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-6 is/are pending in the application. 4a) Of the above claim(s) is/are withdrav 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1.3.5 and 6 is/are rejected. 7) ☐ Claim(s) 2 and 4 is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examine	relection requirement.				
 10) ☐ The drawing(s) filed on <u>08 February 2006</u> is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite			

Art Unit: 2622

DETAILED ACTION

Drawings

1. Figures 2-5 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Abstract

2. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form <u>and generally limited to a single paragraph</u> on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

Specification

3. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

Art Unit: 2622

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. <u>Claims 1 and 3 are rejected under 35 U.S.C. 102(b) as being anticipated by Nakajima (U.S. Patent No. 6,069,659).</u>

6. Regarding *claim 1*, Nakajima discloses a camera which determines camera settings using a preliminary flash. More specifically and as it relates to the applicant's claims, Nakajima discloses an imaging apparatus comprising a flash (strobe section, 7) for emitting light onto an object, an image pickup device (CCD, 1) formed of a plurality of pixels, each of which can perform any of an exposure operation and a reading operation thereof at a timing different from that of the other (see Figure 2 in which CCD integration and CCD transfer take place at different times), a detector circuit (CPU, 6; col. 4, lines 1-10) for detecting a brightness of image information formed by the image pickup device, and a control circuit (also CPU, 6; col. 3, lines 18-21) for controlling operation of the image pickup device and the detector circuit. The control circuit (CPU, 6) causes the flash to fire a pre-flash (col. 4, lines 15-24) before a main flash operation, causes the image pickup device (CCD, 1) to form an image at the time the pre-flash, and causes the detector circuit to detect the brightness of the image information formed at the time the pre-flash, to compute an amount of main flashing light to be fired by the flash (col. 4, lines 40-47). Although not specifically disclosed in Nakajima, one of ordinary skill in the art

Art Unit: 2622

would recognize that CCD image sensors begin an exposure period for all pixels at the same time (i.e. simultaneously). In fact, applicant even suggests on page 6 of the specification that CCD's operate in such a manner. Furthermore, Figure 2 of Nakajima suggests that the pixels of the CCD have the same integration time and that they integrate at the same time (t3). Therefore, it is clear that since Nakajima is a CCD that it operates to start the exposure operation simultaneously for all of the pixels at the time the pre-flash.

7. As for *claim 3*, Nakajima discloses a camera which determines camera settings using a preliminary flash. More specifically and as it relates to the applicant's claims, Nakajima discloses an imaging apparatus comprising a flash (strobe section, 7) for emitting light onto an object, an image pickup device (CCD, 1) formed of a plurality of pixels, each of which can perform any of an exposure operation and a reading operation thereof at a timing different from that of the other (see Figure 2 in which CCD integration and CCD transfer take place at different times), a detector circuit (CPU, 6; col. 4, lines 1-10) for detecting a brightness of image information formed by the image pickup device, and a control circuit (also CPU, 6; col. 3, lines 18-21) for controlling operation of the image pickup device and the detector circuit. The control circuit (CPU, 6) causes the flash to fire a pre-flash (col. 4, lines 15-24) before a main flash operation, causes the image pickup device (CCD, 1) to form an image at the time the pre-flash, causes the detector circuit to detect the brightness of the image information formed at the time the pre-flash, causes the image pickup device to form a before pre-flash image with the flash not fired before the pre-flash operation (col. 3, lines 53 to column 4, line 14), and causes the detector circuit to detect the brightness of image information formed before the pre-flash, to compute a differential value obtained from the brightness information formed before the pre-flash and the

Page 5

Art Unit: 2622

brightness of image information formed during the pre-flash (col. 4, lines 29-47) to compute an amount of main flashing light to be fired by the flash (col. 4, lines 40-47). Although not specifically disclosed in Nakajima, one of ordinary skill in the art would recognize that CCD image sensors begin an exposure period for all pixels at the same time (i.e. simultaneously). In fact, applicant even suggests on page 6 of the specification that CCD's operate in such a manner. Furthermore, Figure 2 of Nakajima suggests that the pixels of the CCD have the same integration time and that they integrate at the same time (t3). Therefore, it is clear that since Nakajima is a CCD that it operates to start the exposure operation simultaneously for all of the pixels at the time the pre-flash.

Claim Rejections - 35 USC § 103

- 8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 9. <u>Claims 5 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakajima (U.S. Patent No. 6,069,659)</u>.
- 10. Regarding *claim 5*, as mentioned above in the discussion of claim 3, Nakajima discloses all of the limitations of the parent claim. Nakajima, however, discloses that the image sensor is a CCD, not an XY addressable image sensor, as claimed. Official Notice is taken as to the fact that it is well known in the art to substitute CMOS image sensors, which are a type of XY addressable image sensor, for CCD sensors. The advantages of CMOS sensors over CCD

Art Unit: 2622

sensors include a better fill factor (i.e. less room needed on chip for registers), ease of manufacture, reduced power consumption, and on-chip integration. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to replace the CCD sensor of Nakajima with a CMOS sensor. Additionally, it is well known in the art that CMOS sensors can begin the exposure period of pixels simultaneously. This is sometimes referred to as a snapshot shutter. Such a shutter operation is beneficial in the capture of dynamic scenes. Therefore, one of ordinary skill in the art could have easily replaced the CCD sensor of Nakajima with a CMOS sensor and still have the sensor operate in the same manner.

11. As for *claim 6*, a CMOS sensor is a type of XY addressable image sensor.

Allowable Subject Matter

- 12. Claims 2 and 4 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 13. The following is a statement of reasons for the indication of allowable subject matter:

Regarding claim 2, the primary reason for indication of allowable subject matter is that the prior art fails to teach or reasonably suggest a memory unit for storing image information formed by said image pickup device before a pre-flashing operation by the flash; and when said pickup device starts a during-preflash exposure operation, said control circuit causes said pickup device to read the image information which have been stored in said memory unit, instead of an -image to be formed by said image pickup device at the time of the pre-flash, and

Art Unit: 2622

outputs the read image information to a downstream image recording apparatus or image output apparatus.

As for claim 4, the primary reason for indication of allowable subject matter is that the prior art fails to teach or reasonably suggest a memory unit for storing image information formed by said image pickup device before said image pickup device forms an image before the pre-flash; and when said pickup device starts a before-preflash exposure operation, said control circuit causes said pickup device to read the image information which have been stored in said memory unit, instead of images to be formed by said image pickup device before the pre-flash and during the pre-flash, and outputs the read image information to a downstream image recording apparatus or image output apparatus.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOHN M. VILLECCO whose telephone number is (571)272-7319. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sinh Tran can be reached on (571) 272-7564. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2622

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/JOHN M. VILLECCO/ Primary Examiner, Art Unit 2622 November 9, 2008